

Figure 4-5. Tritium concentrations in offsite wells from 2000 to 2004

4.1.5 Results from Offsite Springs

Two offsite springs, Spicer Ranch Spring and Revert Spring, were sampled in 2004. Both springs are near Beatty, Nevada. Detectable concentrations of gross alpha and gross beta were present in water collected from the springs, although their concentrations were below the EPA MCL for drinking water (Table 4-2). The measurable gross alpha and gross beta radioactivity is likely from natural sources.

No detectable concentrations of tritium were found in any of the samples (Table 4-2). ²²⁶Ra and ²²⁸Ra measurements indicate that radium is not a significant contributor to the gross alpha activity.

No man-made gamma-emitting radionuclides were detected.

Among the seven offsite springs that have been sampled at least once since 1999, there are no detectable trends in gross alpha or gross beta activity (Figure 4-6), or in tritium concentrations (Figure 4-7) from 2000 to 2004. Alpha and beta levels have all been below the EPA MCL for drinking water, and tritium concentrations have all been below the MDC.

Table 4-2. Gross alpha, gross beta, tritium, and radium analysis results for offsite springs in 2004

		Gross α ±	Gross β ±	³ H ±	²²⁶ Ra ±	²²⁸ Ra ±
Monitoring	Date	Uncertainty (MDC) ^(a)	Uncertainty (MDC)	Uncertainty (MDC)	Uncertainty (MDC)	Uncertainty (MDC)
Location	Sampled	(pCi/L) ^(b)	(pCi/L) ^(c)	(pCi/L) ^(d)	(pCi/L) ^(e)	(pCi/L) ^(e)
Revert Spring	12/1/2004	4.1 ± 1.0 (0.87)	4.8 ± 1.5 (2.1)	$-7.8 \pm 14 (25)$	0.71 ± 0.30 (0.21)	0.15 ± 0.46 (0.96)
Revert Spring FD ^(f)	12/1/2004	NA ^(g)	NA	$5.7 \pm 15 (24)$	NA	NA
Spicer Ranch	12/1/2004	$6.2 \pm 1.4 (1.1)$	$8.3 \pm 1.9 (2.0)$	6.7 ± 15 (25)	$0.92 \pm 0.40 \ (0.36)$	$-0.050 \pm 0.40 (0.86)$

 $Green \ shaded \ results \ are \ considered \ detected \ (result \ is \ greater \ than \ the \ sample \ specific \ MDC)$

- (a) ±2 standard deviations
- (b) The EPA established MCL in drinking water for gross alpha (α) is 15 pCi/L
- (c) The EPA "Level of Concern" in drinking water for gross beta (β) is 50 pCi/L
- (d) The EPA established MCL in drinking water for tritium (³H) is 20,000 pCi/L
- (e) The EPA established MCL in drinking water for ²²⁶Ra and ²²⁸Ra combined is 5 pCi/L
- (f) FD = field duplicate sample
- (g) NA = Specific analysis was not run on the sample




Figure 4-6. Gross alpha and gross beta levels in offsite springs from 2000 to 2004




Figure 4-7. Tritium concentrations in offsite springs from 2000 to 2004